

JUST RESIN GHS SAFETY DATA SHEET

Section 1: Identification of Material and Supplier

GHS Product Identifier

Just Resin Epoxy Pigment Paste

Other means of identification

UN Number: Not Applicable

Recommended use of the product and restriction on use

Colouring agent for epoxy resin

Suppliers Details

Just Resin

PO BOX 123, Deer Park, 3023

info@justresin.com.au

Ph: 03 8358 4961

Emergency Phone Number

Ph: 1800 022 037 or 000 (Police/Fire/Ambulance)

Section 2: Hazard(s) Identification

Classification of the substance or mixture

Not classified as Dangerous Goods according to the criteria of Safe Work Australia.

Acute toxicity – category 5
(oral/dermal/inhalation)

Hazard Word

N/A

GHS Label Elements



Hazard Statements

H302 (May be harmful if swallowed)

H313 (May be harmful in contact with skin)

Precautionary Statements

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash hands thoroughly after handling.

P301+330+331: IF SWALLOWED: Rinse mouth: Do NOT induce vomiting.

P302+P353: IF ON SKIN (or hair): Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes: Remove contact lenses if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

JUST RESIN GHS SAFETY DATA SHEET

Other Hazards

None Known

There is no requirement to disclose the identity of ingredients for the following GHS health hazard categories because they fall outside the scope of the WHS Regulations: Acute toxicity – Category 5 (oral, dermal and inhalation).

Section 3: Composition/information on ingredients

Each colours ingredients may compose of multiple products listed below.

Chemical Name	Cas No	Weight %
Bisphenol A Diglycidyl Ether Homopolymer	25085-99-8	<40
Mica	12001-26-2	<80
Fluorophlogopite	12003-38-2	<80
Titanium Dioxide	13463-26-2	<30
Manganese Violet	10101-66-3	<5
Tin Dioxide	18282-10-5	<5
Ultramarine Blue	57455-37-5	<5
Chromium Oxide Green	1308-38-9	<5
Iron Oxide	1309-37-1	<5
Trade Secret	Non-Hazardous Material	<10

The exact chemical identity and/or exact percentage (concentration) of each ingredient may be held as a trade secret. Ingredient ranges provided may represent actual concentration ranges. Any ingredient not disclosed may have been determined not to pose a health or environmental hazard, or may only be present in concentrations that do not require disclosure. Refer to Section 3 on Preparation Of Safety Data Sheet For Hazardous Chemicals (Code of Practice).

Section 4: First Aid Measures

General Advice:	Seek medical advice. If breathing has stopped or is laboured give assisted respirations. Supplemental oxygen maybe indicated. If the heart has stopped begin cardiopulmonary resuscitation immediately.
Inhalation:	Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through a face mask if breathing is difficult. If symptoms develop and persist seek medical attention.
Ingestion:	DO NOT INDUCE VOMITING. Immediately wash out mouth with water. If symptoms persist seek medical attention.
Skin:	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.
Eye:	If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water unto the non-affected eye. If symptoms persist seek medical attention.
First Aid Facilities:	Eye wash and normal wash room facilities.
Advice to Doctor:	Treat symptomatically.
Other Information:	For advice, contact a Poisons Information Centre (Australia 131 126).

JUST RESIN GHS SAFETY DATA SHEET

Section 5: Fire Fighting Measures

Suitable extinguisher media

Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam. Water spray. DO NOT USE WATER JET STREAM.

Specific hazards arising from the chemical

Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide and carbon dioxide.

Precautions in connection with fire

Full protective clothing and self-contained breathing apparatus. Operated in a positive pressure mode. Water spray may be used to keep fire exposed containers cool.

Section 6: Accidental Release Measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to minimise exposure. Extinguish or remove all ignition sources and stop leak if safe to do. Increase ventilation. Evacuate all unnecessary personnel. If possible contain the spill. Place inert absorbent material onto spillage. Use clean non-sparking tools to collect the material onto spillage and place in a suitable labelled container. Do not dilute material but contain. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

Section 7: Handling and Storage

Precautions for safe handling: Wash thoroughly after use. Maybe harmful if swallowed. May cause respiratory tract irritation. May cause skin sensitisation.

Conditions for Safe Storage: Store in a cool, dry, well ventilated area out of direct sunlight. Keep containers closed when not in use.

Section 8: Exposure Controls / Personal Protection

National Exposure Standards: No exposure standards have been established for this material by the Australian National Occupational Health and Safety Commission (NOHSC) or the Occupational Safety and Health Service (OHS) of the New Zealand Department of Labour. However, exposure standards for ingredients are stated below.

Biological Limit Values: No biological limit allocated.

Engineering Controls: Provide sufficient ventilation to keep airborne levels below the exposure limit.

Respiratory Protection: Where ventilation is inadequate the use of an Air Purifying Respirator with a replacement organic vapour filter complying with AS/NZS 1716 is recommended.

Eye Protection: Safety glasses with side shields, goggles or full face-shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 – Eye protectors for Industrial Applications.

JUST RESIN GHS SAFETY DATA SHEET

Hand Protection: Wear gloves of impervious materials such as impervious PVC or rubber gloves. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1 Occupational protective gloves – Selection use and maintenance.

Body Protection: Suitable work wear should be worn to protect personal clothing. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial Clothing.

Section 9: Physical and Chemical Properties

Form: Viscous Paste
Colour: Not Applicable
Odour: Low to No Odour
pH: Not Available
Melting Point: Not Applicable
Boiling Point: >280°C
Flash Point: >160°C
Vapour Density: Not Available
Vapour Pressure: Not Available
Density: Not Available
Auto-Ignition Temperature: Not Applicable
Flammable Limits-Lower: Not Applicable
Flammable Limits-Upper: Not Applicable

Section 10: Stability and Reactivity

Chemical Stability: Stable under normal conditions
Conditions to avoid: Extremes of temperature.
Incompatible Materials: Strong oxidising agents.
Hazardous Decompositions: Oxides of Nitrogen, Carbon Monoxide.

Section 11: Toxicology Information

Test: LD50: Rat, >15,000 mg/kg (15gm/kg-50kg = 750g)
Very Low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.
Test: LD50: Rabbit, 23,000mg/kg (23gm/kg-50kg = 1150g)
Prolonged skin contact is unlikely to result in absorption of harmful amounts.
At room temperature exposure to vapour is minimal due to low volatility. The LC50 has not been determined.
Skin Contact: May cause sensitisation by skin contact.
Eye Contact: May cause irritation to eyes.
Ingestion: No anticipated harmful effects in small amounts.
Inhalation: May cause sensitisation by inhalation.

Section 16: Other Information

Contact Person/Point: Just Resin Ph: (03) 8358 4961
Poisons Information Centre Ph: 13 11 26 (24 Hour)

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Just Resin cannot predict or control all conditions of use or handling of this product and each user must review this document in the context of the conditions under which they intend to handle and use this product. It is the responsibility of the user to ensure a proper assessment has been carried out. No representation or warranties, either expressed or implied, or merchantability, fitness for purpose or any other nature are made here under with respect to the product to which this information refers.

END OF SAFETY DATA SHEET

JUST RESIN GHS SAFETY DATA SHEET